

Link do produktu: <https://bizongarage.pl/fuel-hanger-radium-engineering-for-mitsubishi-evo-7-8-9-fits-aem-50-1220-or-dw440-p-4267.html>



## Fuel Hanger Radium Engineering for Mitsubishi EVO 7-8-9 Fits AEM 50-1220 or DW440

Cena brutto	<b>2 178,99 zł</b>
Cena netto	<b>1 771,54 zł</b>
Dostępność	<b>Na zamówienie</b>
Numer katalogowy	<b>331510495</b>
Kod producenta	<b>USA-RAD-20-1340</b>

### Opis produktu

COMPATIBILITY Mitsubishi Evolution VII Mitsubishi Evolution VIII Mitsubishi Evolution IX OVERVIEW The Radium Engineering fuel pump hanger allows the use of 1 or 2 aftermarket pumps in the stock Mitsubishi Evo 7-8-9 fuel tank. The machined assembly drops-in the factory fuel tank replacing the OEM hold-down flange. A single 8AN male pump feed port and 6AN male return port simplify aftermarket -AN hose plumbing. However the preassembled adapter fittings are compatible with the OEM fuel lines. The custom designed stainless electrical studs easily handle the high current demand that compact bulkhead connectors lack. These serviceable connections are properly sealed and impervious to all standard and exotic fuels. The low profile design keeps all wiring tucked nicely underneath the OEM cover plate. Nonconductive acorn nuts are provided to prevent any accidental short circuits. Furthermore, the high quality in-tank wiring is insulated with chemically resistant ETFE. Electrical hardware is included for the fuel pump(s) and OEM level sender. One major issue with the OEM EVO 7-8-9 fuel pump hanger is the restrictive return port and venturi jet pump. When using aftermarket high-flow fuel pumps, the OEM jet pump becomes too restrictive creating unwanted backpressure in the regulator return line causing excessive fuel rail pressure. The Radium Engineering fuel pump hanger includes a venturi jet pump with a new integrated pressure-relief valve to minimize back pressure. All returning fuel from the pressure regulator and crossover hose exit the jet pump keeping the OEM gas tank baffle full for starvation protection. Single pump applications can reuse the OEM fuel pump controller wiring, but it is recommended to upgrade the OEM wiring as these high flow fuel pumps draw additional current requiring larger gauge wire. Select qty1 for single pump applications and qty2 for dual pump applications. 20-1340 AEM 50-1220 (or other pumps with exact same form factor) DW440 Instruction PDF